NO. SIJIL *(Certificate No.)*
SPAN/BPAI/0606-2024

SURUHANJAYA PERKHIDMATAN AIR NEGARA

SIJIL PERAKUAN PENDAFTARAN PEMBEKAL

(SUPPLIER REGISTRATION CERTIFICATION)

Adalah dengan ini diperakui bahawa syarikat dan produk seperti yang tercatat di bawah telah berdaftar dengan Suruhanjaya Perkhidmatan Air Negara bagi kegunaan industri perkhidmatan air di negeri-negeri Semenanjung Malaysia serta Wilayah Persekutuan Putrajaya dan Labuan sahaja.

(This is to certify that the following company and product have been registered with Suruhanjaya Perkhidmatan Air Negara to be used in the water services industry in Peninsular Malaysia and Federal Territory of Putrajaya and Labuan only.)

No. Rujukan Pendaftaran *(Reference of Registration No.)*	:	10/2024/0186/A/W-13
Alamat Syarikat Pembekal *(Name and Address of Supplier)*	:	DOE INDUSTRIES SDN BHD, 8 JALAN SS21/39, DAMANSARA UTAMA, 47400 PETALING JAYA, SELANGOR DARUL EHSAN

MAKLUMAT PRODUK ATAU SISTEM*(PARTICULARS OF PRODUCT OR SYSTEM)*

Kategori *(Category)*	:	A - SANITARY
Nama Produk atau Sistem *(Product or System Name)*	:	TAP
Perihal Produk atau Sistem *(Product or System Description)*	:	Model - Siri: Rujuk perincian model dan spesifikasi di lampiran
Jenama *(Brand Name)*	:	DOE
Piawai *(Standard)*	:	SPAN TS 3004:2021
Kegunaan *(Application)*	:	SISTEM BEKALAN AIR
Nama dan Alamat Pembuat (Name and Address of Manufacturer)	:	FOSHAN SHUNDE SHING SHUN SANITARY FITTING CO.LTD., FLAT 5,3RD FLOOR, NO 3, XINGYE 3RD RD,, GUANGLONG INDUSTRIAL AREA, CHIHUA CHENCUN, SHUNDE, FOSHAN, 528313,,
Nama dan Alamat Prinsipal *(Name and Address of Principal)*	:	DOE INDUSTRIES SDN BHD, 8 JALAN SS21/39, DAMANSARA UTAMA,, 47400, PETALING JAYA, SELANGOR DARUL EHSAN
Sah Sehingga *(Valid Until)*	:	05 JUL 2027

Sijil yang dikeluarkan adalah tertakluk kepada SYARAT-SYARAT AM (Bahagian A) dan SYARAT-SYARAT KHUSUS (Bahagian B).
(The Certificate issued is subject to the GENERAL CONDITIONS (Section A) and SPECIFIC CONDITIONS (Section B)

(DATO' HJ. AHMAD FAIZAL BIN ABDUL RAHMAN)
KETUA PEGAWAI EKSEKUTIF
Suruhanjaya Perkhidmatan Air Negara (SPAN)

Tarikh Dikeluarkan *(Issue Date)* : 04 JUL 2024

BAHAGIAN A : SYARAT-SYARAT AM

1. Kelulusan ini adalah terpakai di Semenanjung Malaysia serta Wilayah Persekutuan Putrajaya dan Labuan sahaja.
2. SPAN berhak menggantung, membatalkan serta menarik balik kelulusan ini sekiranya:
   (a) didapati bahawa maklumat yang diberikan oleh pembekal adalah tidak benar;
   (b) berlaku kemerosotan ke atas kualiti produk;
   (c) aduan yang diterima daripada mana-mana pihak berkenaan produk yang dibekalkan terbukti benar;
   (d) pembekal gagal mematuhi keperluan-keperluan yang ditetapkan dalam "Guidelines for Listing and Registration of Products and Suppliers"; dan
   (e) berlaku perubahan pada tatacara pendaftaran.
4. Penggunaan logo SPAN pada produk atau bahan cetakan adalah tidak dibenarkan. Pembekal boleh menggunakan pernyataan "produk telah didaftarkan dengan SPAN (nombor rujukan pendaftaran)" pada bahan cetakan. Penggunaan pernyataan "dipersijilkan oleh SPAN" atau "diluluskan oleh SPAN" adalah dilarang sama sekali.
5. SPAN boleh menjalankan audit pada bila-bila masa dalam tempoh kelulusan pendaftaran untuk mengukur prestasi produk dan syarikat sebagai asas untuk pembaharuan pendaftaran. Segala kos ujian yang terlibat akan ditanggung oleh pembekal.
6. Pembekal dikehendaki mengemukakan dan mengemaskini senarai rekod pemasangan dan penjualan produk setiap tahun kepada SPAN melalui aplikasi e-Registration.
7. Pembekal dikehendaki mematuhi sebarang arahan yang dikeluarkan oleh SPAN dari masa ke semasa .

BAHAGIAN B : SYARAT-SYARAT KHUSUS

NA

LAMPIRAN

No Fail : 10/2024/0186/A/W-13

No. Sijil : SPAN/BPAI/0606-2024

Tarikh : 04 JUL 2024

PERAKUAN PENYENARAIAN PEMBEKAL

PEMBEKAL : DOE INDUSTRIES SDN BHD
8 JALAN SS21/39, DAMANSARA UTAMA,
47400 PETALING JAYA,
SELANGOR DARUL EHSAN

PRODUK : TAP

Model-model yang diluluskan oleh SPAN adalah seperti di bawah

No	Model	Series/Rating	Type/Size/Description
1	TS NS 30	BASIN TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS NS 30 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
2	TS RF 30	BASIN TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RF 30 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
3	TS RX 30	BASIN TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RX 30 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3

4	TS NS 38	TWO-WAY TAP (MULTIPURPOSE) / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS NS 38 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: TWO-WAY TAP (MULTIPURPOSE) NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE & MULTI -HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
5	TS RF 38	TWO-WAY TAP (MULTIPURPOSE) / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RF 38 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: TWO-WAY TAP (MULTIPURPOSE) NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE & MULTI -HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
6	TS RX 38	TWO-WAY TAP (MULTIPURPOSE) / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RX 38 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: TWO-WAY TAP (MULTIPURPOSE) NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE & MULTI -HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
7	TS NS 80	BASIN TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS NS 80 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *

8	TS RF 80	BASIN TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RF 80 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
9	TS RX 80	BASIN TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RX 80 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
10	TS NS 115	KITCHEN SINK TAP / 3*	COMBINATION TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS NS 115 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: COMBINATION TAP INTENDED USE: KITCHEN SINK TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
11	TS RF 115	KITCHEN SINK TAP / 3*	COMBINATION TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RF 115 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: COMBINATION TAP INTENDED USE: KITCHEN SINK TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
12	TS RX 115	KITCHEN SINK TAP / 3*	COMBINATION TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RX 115 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: COMBINATION TAP INTENDED USE: KITCHEN SINK TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *

13	TS NS 116	BASIN TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS NS 116 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE - HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
14	TS RF 116	BASIN TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RF 116 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE - HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
15	TS RX 116	BASIN TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RX 116 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE - HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
16	TS NS 36	ABLUTION TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS NS 36 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: ABLUTION TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE - HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
17	TS RF 36	ABLUTION TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RF 36 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: ABLUTION TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE - HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *

18	TS RX 36	ABLUTION TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RX 36 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: ABLUTION TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE - HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
19	TS NS 46	BIDET TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS NS 46 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: BIDET TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE - HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
20	TS RF 46	BIDET TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RF 46 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: BIDET TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE - HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
21	TS RX 46	BIDET TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RX 46 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: BIDET TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE - HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
22	TS NS 56	KITCHEN SINK TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS NS 56 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: KITCHEN SINK TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *

23	TS RF 56	KITCHEN SINK TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RF 56 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: KITCHEN SINK TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
24	TS RX 56	KITCHEN SINK TAP / 3*	BIB TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS RX 56 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: BIB TAP INTENDED USE: KITCHEN SINK TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: VERTICAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
25	TS DS035	BASIN TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS DS035 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
26	TS DS036	BASIN TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS DS036 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
27	TS DS037	BASIN TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS DS037 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: BASIN TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *

28	TS DS133	KITCHEN SINK TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS DS133 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: KITCHEN SINK TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *
29	TS DS135	KITCHEN SINK TAP / 3*	PILLAR TAP / 1/2 INCH (DN 15) / MODEL NUMBER: TS DS135 SUPPLY SYSTEM: TYPE 1 TYPE OF TAP: PILLAR TAP INTENDED USE: KITCHEN SINK TAP NOMINAL SIZE: 1/2 INCH (DN 15) MOUNTING METHOD: HORIZONTAL SURFACES BODY: INLET & OUTLET / SINGLE-HOLE & VISIBLE DIVERTER: WITHOUT DIVERTER OPERATING MECHANISM MODEL: SS-CC1002 TYPE OF OUTLET: FIXED, WITH FLOW RATE REGULATOR WATER EFFICIENCY RATING : 3 *