NO. SIJIL *(Certificate No.)*
SPAN/BPAI/0339-2024

SURUHANJAYA PERKHIDMATAN AIR NEGARA

SIJIL PERAKUAN PENDAFTARAN PEMBEKAL

(SUPPLIER REGISTRATION CERTIFICATION)

Adalah dengan ini diperakui bahawa syarikat dan produk seperti yang tercatat di bawah telah berdaftar dengan Suruhanjaya Perkhidmatan Air Negara bagi kegunaan industri perkhidmatan air di negeri-negeri Semenanjung Malaysia serta Wilayah Persekutuan Putrajaya dan Labuan sahaja.

(This is to certify that the following company and product have been registered with Suruhanjaya Perkhidmatan Air Negara to be used in the water services industry in Peninsular Malaysia and Federal Territory of Putrajaya and Labuan only.)

No. Rujukan Pendaftaran *(Reference of Registration No.)*	:	10/2024/0186/A/W-08
Alamat Syarikat Pembekal *(Name and Address of Supplier)*	:	DOE INDUSTRIES SDN BHD, 8 JALAN SS21/39, DAMANSARA UTAMA, 47400 PETALING JAYA, SELANGOR DARUL EHSAN

MAKLUMAT PRODUK ATAU SISTEM*(PARTICULARS OF PRODUCT OR SYSTEM)*

Kategori *(Category)*	:	A - SANITARY
Nama Produk atau Sistem *(Product or System Name)*	:	TAP
Perihal Produk atau Sistem *(Product or System Description)*	:	Model - Siri: Rujuk perincian model dan spesifikasi di lampiran
Jenama *(Brand Name)*	:	DOE
Piawai *(Standard)*	:	SPAN TS 3004:2021
Kegunaan *(Application)*	:	SISTEM BEKALAN AIR
Nama dan Alamat Pembuat (Name and Address of Manufacturer)	:	DOE INDUSTRIES SDN BHD, LOT 41-43, LORONG SENAWANG 3/1, SENAWANG INDUSTRIAL ESTATE, 70450, SEREMBAN, NEGERI SEMBILAN DARUL KHUSUS
Nama dan Alamat Prinsipal *(Name and Address of Principal)*	:	DOE INDUSTRIES SDN BHD, 8 JALAN SS21/39, DAMANSARA UTAMA,, 47400, PETALING JAYA, SELANGOR DARUL EHSAN
Sah Sehingga *(Valid Until)*	:	04 JUN 2027

Sijil yang dikeluarkan adalah tertakluk kepada SYARAT-SYARAT AM (Bahagian A) dan SYARAT-SYARAT KHUSUS (Bahagian B).
(The Certificate issued is subject to the GENERAL CONDITIONS (Section A) and SPECIFIC CONDITIONS (Section B)

(DATO' HJ. AHMAD FAIZAL BIN ABDUL RAHMAN)
KETUA PEGAWAI EKSEKUTIF
Suruhanjaya Perkhidmatan Air Negara (SPAN)

Tarikh Dikeluarkan *(Issue Date)* : 30 MAY 2024

BAHAGIAN A : SYARAT-SYARAT AM

1. Kelulusan ini adalah terpakai di Semenanjung Malaysia serta Wilayah Persekutuan Putrajaya dan Labuan sahaja.
2. SPAN berhak menggantung, membatalkan serta menarik balik kelulusan ini sekiranya:
   (a) didapati bahawa maklumat yang diberikan oleh pembekal adalah tidak benar;
   (b) berlaku kemerosotan ke atas kualiti produk;
   (c) aduan yang diterima daripada mana-mana pihak berkenaan produk yang dibekalkan terbukti benar;
   (d) pembekal gagal mematuhi keperluan-keperluan yang ditetapkan dalam "Guidelines for Listing and Registration of Products and Suppliers"; dan
   (e) berlaku perubahan pada tatacara pendaftaran.
4. Penggunaan logo SPAN pada produk atau bahan cetakan adalah tidak dibenarkan. Pembekal boleh menggunakan pernyataan "produk telah didaftarkan dengan SPAN (nombor rujukan pendaftaran)" pada bahan cetakan. Penggunaan pernyataan "dipersijilkan oleh SPAN" atau "diluluskan oleh SPAN" adalah dilarang sama sekali.
5. SPAN boleh menjalankan audit pada bila-bila masa dalam tempoh kelulusan pendaftaran untuk mengukur prestasi produk dan syarikat sebagai asas untuk pembaharuan pendaftaran. Segala kos ujian yang terlibat akan ditanggung oleh pembekal.
6. Pembekal dikehendaki mengemukakan dan mengemaskini senarai rekod pemasangan dan penjualan produk setiap tahun kepada SPAN melalui aplikasi e-Registration.
7. Pembekal dikehendaki mematuhi sebarang arahan yang dikeluarkan oleh SPAN dari masa ke semasa .

BAHAGIAN B : SYARAT-SYARAT KHUSUS

NA

LAMPIRAN

No Fail : 10/2024/0186/A/W-08

No. Sijil : SPAN/BPAI/0339-2024

Tarikh : 30 MAY 2024

PERAKUAN PENYENARAIAN PEMBEKAL

PEMBEKAL : DOE INDUSTRIES SDN BHD
8 JALAN SS21/39, DAMANSARA UTAMA,
47400 PETALING JAYA,
SELANGOR DARUL EHSAN

PRODUK : TAP

Model-model yang diluluskan oleh SPAN adalah seperti di bawah

No	Model	Series/Rating	Type/Size/Description
1	TSCL30	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSCL30 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
2	TSCL80	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSCL80 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
3	TSDE88	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSDE88 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
4	TSML30	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSML30 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
5	TSMZ30	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSMZ30 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15

6	TSMZ60R	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSMZ60R RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
7	TSMZ80	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSMZ80 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
8	TSPT30B	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSPT30B RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
9	TSPT30BQT	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSPT30BQT RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
10	TSPT80	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSPT80 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
11	TSQT113	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSQT113 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
12	TSQT80	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSQT80 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
13	TSRT60B	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSRT60B RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
14	TSRT60BQT	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSRT60BQT RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15

15	TSBT32TEE	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSBT32TEE RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
16	TSBT36QT	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSBT36QT RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
17	TSCL36	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSCL36 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
18	TSCL56	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSCL56 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
19	TSHB52TEE	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (ND):15 / TRADE MARK: DOE MODEL: TSHB52TEE RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
20	TSHB56BTG	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (ND):15 / TRADE MARK: DOE MODEL: TSHB56BTG RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
21	TSHB72TEE	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN) :15 / TRADE MARK: DOE MODEL: TSHB72TEE RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
22	TSHB76	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSHB76 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
23	TSML36	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN): 15 / TRADE MARK: DOE MODEL: TSML36 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15

24	TSML56	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSML56 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
25	TSMZ36	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSMZ36 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
26	TSMZ56	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSMZ56 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
27	TSQT36	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSQT36 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
28	TSQT56	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSQT56 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
29	TSQT96	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSQT96 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
30	TSCL116	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSCL116 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
31	TSCL117	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSCL117 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
32	TSDE116A	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSDE116A RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15

33	TSDE116AQT	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSDE116AQT RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
34	TSDE117A	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSDE117A RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
35	TSDE117AQT	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSDE117AQT RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
36	TSQT116	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSQT116 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
37	TSQT117	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSQT117 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
38	TSBT36	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSBT36 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
39	TSCL115	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSCL115 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
40	TSDE115A	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSDE115A RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
41	TSDE115AQT	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSDE115AQT RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15

42	TSDE201	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSDE201 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
43	TSDE202	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSDE202 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
44	TSDE203	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSDE203 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
45	TSMZ115	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSMZ115 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
46	TSQT115	3* / 3 STARS	PILLAR TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSQT115 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: PILLAR TAP SIZE: NOMINAL DIAMETER (DN):15
47	TSML116	3* / 3 STARS	BIB TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSML116 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: BIB TAP SIZE: NOMINAL DIAMETER (DN):15
48	TSML12	3* / 3 STARS	COMBINATION TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSML12 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: BASIN TYPE: COMBINATION TAP SIZE: NOMINAL DIAMETER (DN):15
49	TSML12H	3* / 3 STARS	COMBINATION TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSML12H RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: COMBINATION TAP SIZE: NOMINAL DIAMETER (DN):15
50	TSML11	3* / 3 STARS	COMBINATION TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSML11 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: COMBINATION TAP SIZE: NOMINAL DIAMETER (DN):15

51	TSML11H	3* / 3 STARS	COMBINATION TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSML11H RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: COMBINATION TAP SIZE: NOMINAL DIAMETER (DN):15
52	TSML88	3* / 3 STARS	COMBINATION TAP / NOMINAL DIAMETER (DN):15 / TRADE MARK: DOE MODEL: TSML88 RATING: WATER EFFICIENCY RATING : 3 STARS INTENDED USE: SINK TYPE: COMBINATION TAP SIZE: NOMINAL DIAMETER (DN):15